


# McKissick® Sheaves



**SEE APPLICATION AND WARNING INFORMATION**  
 Para Español: [www.thecrosbygroup.com](http://www.thecrosbygroup.com) See Pages 342-349

**SELBY ENGINEERING & LIFTING SAFETY LTD.**  
 Lifting Equipment and Height Safety Specialists  
[www.liftingsafety.co.uk](http://www.liftingsafety.co.uk) sales@liftingsafety.co.uk  
 Tel: +44 (0) 1977 684 600 Fax: +44 (0) 1977 685 300

## Bronze Bushed Sheaves

- Roll Forged™ sheaves are available in sizes up to 72" in diameter.
- McKissick® Bronze Bushed Sheaves are equipped with S.A.E. 660 Bronze Bushings for cold finished shafts with "Figure 8" oil groove. For sizes not listed, McKissick Finished Bore Sheaves can be equipped with bronze bushings at an optional charge.

"A" Nominal Outside Diameter (in.)*	Stock No.	Pattern Number	Wire Line Size (in.)	"D" Shaft Size (in.)	Hub Width (in.)	Rim Width (in.)	"C" Nominal Hub Outside Dia. (in.)	"B" Nominal Tread Dia. (in.)	Material	Approx. Weight (lbs.)
2-1/4	907004	1173	1/4	3/8*	5/8	9/16	3/4	1-7/8	B.S.	.75
-	-	-	-	-	-	-	-	-	-	-
3	907059	1173	3/16	3/8*	25/32	3/4	1	2-3/8	P.M.	1.00
3	907077	1173	3/16	1/2*	25/32	3/4	1	2-3/8	P.M.	1.00
3	907095	1173	3/16	5/8*	25/32	3/4	1	2-3/8	P.M.	1.00
3	907022	1173	1/4	3/8*	1/2	1/2	1	2-5/8	P.M.	.75
3	907040	1173	1/4	1/2*	1/2	1/2	1	2-5/8	P.M.	.75
3	460165	3X	1/4	1/2*	1-5/16	1-3/16	1-1/8	2-1/16	B.S.	1.00
3	460110	3-1	5/16	3/4	1	7/8	1-3/4	2-1/4	P.M.	1.50
3	907068	1173	3/8	3/8*	3/4	3/4	1	2-3/8	P.M.	1.00
3	916101	1208	3/8	3/8*	25/32	3/4	1-1/2	2-3/8	B.S.	1.00
3	907086	1173	3/8	1/2*	3/4	3/4	1	2-3/8	P.M.	1.00
3	916110	1208	3/8	1/2*	25/32	3/4	1-1/2	2-3/8	B.S.	1.00
3	460156	3X	3/8	1/2*	1-5/16	1-3/16	1-1/8	2-1/16	B.S.	1.00
3	907102	1173	3/8	5/8*	3/4	3/4	1	2-3/8	P.M.	1.00
3	2023196	3-1	3/8	3/4	1	7/8	1-3/4	2-1/4	P.M.	1.50
3	2023202	3-1	7/16	3/4	1	7/8	1-3/4	2-1/4	P.M.	1.50
3	916129	1208	1/2	3/8*	1-1/4	1-1/8	1-7/8	2	B.S.	1.33
3	916138	1208	1/2	1/2*	1-1/4	1-1/8	1-7/8	2	B.S.	1.50
-	-	-	-	-	-	-	-	-	-	-
4	460290	4-1	1/8	1	1	7/8	2	3-1/8	B.S.	2.00
4	907111	1173	3/16	1/2*	3/4	5/8	1-3/8	3-1/2	P.M.	1.00
4	907139	1173	3/16	5/8*	3/4	5/8	1-3/8	3-1/2	P.M.	1.00
4	916147	1208	1/4	1/2*	13/16	3/4	2	3-1/4	B.S.	1.50
4	916165	1208	1/4	3/4*	13/16	3/4	2	3-1/4	B.S.	1.50
4	460307	4-1	1/4	1	1	7/8	2	3-1/8	B.S.	2.00
4	907120	1173	5/16	1/2*	3/4	5/8	1-3/8	3-1/2	P.M.	1.00
4	907148	1173	5/16	5/8*	3/4	5/8	1-3/8	3-1/2	P.M.	1.00
4	907166	1173	3/8	1/2*	13/16	3/4	1-1/2	3-1/4	P.M.	1.25
4	916156	1208	3/8	1/2*	13/16	3/4	2	3-1/4	B.S.	1.50
4	907184	1173	3/8	5/8*	13/16	3/4	1-1/2	3-1/4	P.M.	1.40
4	907200	1173	3/8	3/4*	13/16	3/4	1-1/2	3-1/4	P.M.	1.25
4	460316	4-1	3/8	1	1	7/8	2	3-1/8	B.S.	2.00
4	907228	1173	1/2	1/2*	1-1/16	1	1-5/8	3-3/16	P.M.	1.50
4	916192	1208	1/2	1/2*	1-1/8	1	1-5/8	3-3/16	BS.	2.00
4	907246	1173	1/2	5/8*	1-1/16	1	1-5/8	3-3/16	P.M.	1.50
4	907264	1173	1/2	3/4*	1-1/16	1	1-5/8	3-3/16	P.M.	1.50
4	916174	1208	3/8	3/4*	13/16	3/4	2	3-1/4	B.S.	1.50
-	-	-	-	-	-	-	-	-	-	-
4-1/8	2023186	4-K	3/8	1	1-1/2	1-3/8	2	3	F.S.	3.50
4-1/8	2023183	4-K	1/2	1	1-1/2	1-3/8	2	3	F.S.	3.50
4-1/8	2023188	4-K	5/8	1	1-1/2	1-3/8	2	3	F.S.	3.50
-	-	-	-	-	-	-	-	-	-	-
4-1/4	460450	4E	3/8	5/8*	1-3/16	15/16	2-1/8	3-3/8	B.S.	2.40
4-1/4	460441	4E	1/2	5/8*	1-3/16	15/16	2-1/8	3-3/8	B.S.	2.40
-	-	-	-	-	-	-	-	-	-	-
4-3/4	460575	5-2	5/16	5/8	1-9/16	1-3/8	1-1/2	3-5/8	D.I.	3.50
4-3/4	460584	5-2	3/8	5/8	1-9/16	1-3/8	1-1/2	3-5/8	D.I.	3.50
4-3/4	460593	5-2	1/2	5/8	1-9/16	1-3/8	1-1/2	3-5/8	D.I.	3.50
-	-	-	-	-	-	-	-	-	-	-

# McKissick® Sheaves

"A" Nominal Outside Diameter (in.)*	Stock No.	Pattern Number	Wire Line Size (in.)	"D" Shaft Size (in.)	Hub Width (in.)	Rim Width (in.)	"C" Nominal Hub Outside Dia. (in.)	"B" Nominal Tread Dia. (in.)	Material	Approx. Weight (lbs.)
4-7/8	460478	5-1-B	3/8	1-1/4	1-1/4	1-1/8	2-1/4	4-1/16	F.S.	3.60
4-7/8	2026414	5-1-B	1/2	1-1/4	1-1/4	1-1/8	2-1/4	4-1/16	F.S.	3.60
4-7/8	460469	5-1-B	5/8	1-1/4	1-1/4	1-1/8	2-1/4	4-1/16	F.S.	3.60
-	-	-	-	-	-	-	-	-	-	-
5	907273	1173	3/16	5/8*	15/16	7/8	2-1/4	4-1/4	P.M.	2.25
5	907291	1173	3/16	3/4*	15/16	7/8	2-1/4	4-1/4	P.M.	2.25
5	460511	5-1	5/16	3/4	1	7/8	1-1/2	4	F.S.	2.50
5	907282	1173	3/8	5/8*	15/16	7/8	2-1/4	4-1/4	P.M.	2.75
5	907308	1173	3/8	3/4*	15/16	7/8	2-1/4	4-1/4	P.M.	2.80
5	460520	5-1	3/8	3/4	1	7/8	1-1/2	4	F.S.	2.50
5	460539	5-1	7/16	3/4	1	7/8	1-1/2	4	F.S.	2.50
5	907326	1173	1/2	5/8*	1-1/16	1	2-1/4	4	P.M.	2.50
5	907362	1173	1/2	5/8*	1-3/16	1-1/8	2-1/4	4	D.I.	4.00
5	907344	1173	1/2	3/4*	1-1/16	1	2-1/4	4	P.M.	2.50
5	907380	1173	1/2	3/4*	1-3/16	1-1/8	2-1/4	4	D.I.	4.00
5	907406	1173	1/2	7/8*	1-3/16	1-1/8	2-1/4	4	D.I.	4.00
-	-	-	-	-	-	-	-	-	-	-
5-1/4	460628	6-6	5/8	1	1-1/2	1-3/8	2-1/16	3-7/8	F.S.	4.00
5-1/4	460637	6-6	3/4	1	1-1/2	1-3/8	2-1/16	3-7/8	F.S.	4.00
-	-	-	-	-	-	-	-	-	-	-
5-7/8	2023129	6-2	5/8	1-1/2	1-3/4	1-5/8	2-1/2	4-3/8	F.S.	6.00
5-7/8	2023137	6-2	3/4	1-1/2	1-3/4	1-5/8	2-1/2	4-3/8	F.S.	6.00
5-7/8	2023135	6-2	7/8	1-1/2	1-3/4	1-5/8	2-1/2	4-3/8	F.S.	6.00
-	-	-	-	-	-	-	-	-	-	-
6	907424	1173	3/8	1/2*	13/16	3/4	1-7/8	5	P.M.	2.50
6	907488	1173	3/8	1/2*	1-1/16	1	1-7/8	5	P.M.	2.50
6	907442	1173	3/8	5/8*	13/16	3/4	1-7/8	5	P.M.	2.50
6	907503	1173	3/8	5/8*	1-1/16	1	1-7/8	5	P.M.	2.50
6	907460	1173	3/8	3/4*	13/16	3/4	1-7/8	5	P.M.	2.50
6	907521	1173	3/8	3/4*	1-1/16	1	1-7/8	5	P.M.	4.26
6	2026483	6-1	3/8	3/4*	1-1/16	1	2	5-1/8	F.S.	4.00
6	916245	6-1	3/8	7/8*	1-1/16	1	2	5-1/8	F.S.	4.00
6	2026826	6-1	3/8	1*	1-1/16	1	2	5-1/8	F.S.	4.00
6	460682	6-1-B	3/8	1-1/4	1-1/8	1	2-1/4	4-15/16	F.S.	3.70
6	907549	1173	1/2	5/8*	1-3/16	1-1/8	1-7/8	4-7/8	P.M.	5.00
6	907567	1173	1/2	3/4*	1-3/16	1-1/8	1-7/8	4-7/8	P.M.	4.72
6	913024	1193	1/2	7/8*	1-1/16	1	1-7/8	4-7/8	P.M.	3.75
6	460879	6-8	1/2	1	1-1/2	1-1/4	3-1/8	4-3/4	B.S.	7.00
6	460673	6-1-B	1/2	1-1/4*	1-1/8	1	2-1/4	4-15/16	F.S.	3.63
6	2028048	1193	1/2	1	1-1/16	1	1-7/8	4-7/8	P.M.	3.75
6	2026938	6-1	5/8	3/4*	1-1/16	1	2	5-1/8	F.S.	4.00
6	913060	1193	5/8	3/4*	1-5/16	1-1/4	1-7/8	4-3/4	P.M.	3.75
6	916254	6-1	5/8	7/8*	1-1/16	1	2	5-1/8	F.S.	4.00
6	913088	1193	5/8	7/8*	1-5/16	1-1/4	1-7/8	4-3/4	P.M.	5.00
6	2026822	6-1	5/8	1*	1-1/16	1	2	5-1/8	F.S.	4.00
6	913104	1193	5/8	1*	1-5/16	1-1/4	1-7/8	4-3/4	P.M.	3.75
6	2023264	6NS-2	5/8	2	2-5/16	2-3/16	3-1/8	4-1/4	F.S.	9.50
6	460897	6-8	3/4	1	1-1/2	1-1/4	3-1/2	4-3/4	B.S.	7.00
6	913168	1193	3/4	1	1-9/16	1-1/2	1-7/8	4-5/8	P.M.	6.75
6	2023260	6NS-2	3/4	2	2-5/16	2-3/16	3-1/8	4-1/4	F.S.	9.50
6	2023262	6NS-2	7/8	2	2-5/16	2-3/16	3-1/2	4-1/4	F.S.	9.50
-	-	-	-	-	-	-	-	-	-	-
6-3/4	907692	1173	1/4	3/4*	1-3/16	1-1/8	2	5-7/8	D.I.	5.00
6-3/4	907718	1173	1/4	1*	1-3/16	1-1/8	2	5-7/8	D.I.	5.00
6-3/4	907709	1173	3/8	3/4*	1-3/16	1-1/8	2	5-7/8	D.I.	5.00
6-3/4	907727	1173	3/8	1*	1-3/16	1-1/8	2	5-7/8	D.I.	5.00
-	-	-	-	-	-	-	-	-	-	-
7	461020	7-1	1/4	1-1/2	1-3/8	3/4	2-3/8	6-1/4	B.S.	6.20
7	461039	7-1	3/8	1-1/2	1-3/8	3/4	2-3/8	6-1/4	B.S.	6.20
7	907629	1173	1/2	3/4*	1-1/16	1	2	5-5/8	D.I.	4.25
7	907647	1173	1/2	7/8*	1-1/16	1	2	5-5/8	D.I.	4.25
-	-	-	-	-	-	-	-	-	-	-
7-1/2	460986	8-7	5/8	1	1-1/2	1-3/8	2-1/16	6-5/16	F.S.	7.50
7-1/2	460977	8-7	3/4	1	1-1/2	1-3/8	2-1/16	6-5/16	F.S.	7.50
-	-	-	-	-	-	-	-	-	-	-
7-5/8	461262	8-10	3/8	1	1-1/2	1-1/4	2-3/8	6-3/16	D.I.	7.00
7-5/8	461280	8-10	1/2	1	1-1/2	1-1/4	2-3/8	6-3/16	D.I.	7.00
7-5/8	461271	8-10	5/8	1	1-1/2	1-1/4	2-3/8	6-3/16	D.I.	7.00
-	-	-	-	-	-	-	-	-	-	-
8	2023467	8NS-3	1	2-1/4	2-1/2	2-3/8	4-1/2	5-3/8	F.S.	18.00

McKissick  
Sheaves

# McKissick® Sheaves

"A" Nominal Outside Diameter (in.)*	Stock No.	Pattern Number	Wire Line Size (in.)	"D" Shaft Size (in.)	Hub Width (in.)	Rim Width (in.)	"C" Nominal Hub Outside Dia. (in.)	"B" Nominal Tread Dia. (in.)	Material	Approx. Weight (lbs.)
8	2023463	8NS-3	1-1/8	2-1/4	2-1/2	2-3/8	4-1/2	5-3/8	F.S.	18.00
8	2023153	8-2	3/4	1-1/2	1-3/4	1-5/8	2-9/16	6-5/16	F.S.	10.00
8	907745	1173	1/2	3/4*	1-1/8	1	2-3/8	6-7/8	D.I.	5.00
8	916487	8-1	1/2	3/4*	1-3/8	1-1/4	2	6-5/8	F.S.	7.00
8	907763	1173	1/2	7/8*	1-1/8	1	2-3/8	6-7/8	D.I.	5.00
8	916502	8-1	1/2	7/8*	1-3/8	1-1/4	2	6-5/8	F.S.	7.00
8	907781	1173	1/2	1*	1-1/8	1	2-3/8	6-7/8	D.I.	5.59
8	916520	8-1	1/2	1*	1-3/8	1-1/4	2	6-5/8	F.S.	7.00
8	2026841	8-1	1/2	1-1/8*	1-3/8	1-1/4	2	6-5/8	F.S.	7.00
8	2026844	8-1	1/2	1-1/4*	1-3/8	1-1/4	2	6-5/8	F.S.	7.00
8	461235	8-2	1/2	1-1/2	1-1/2	1-3/8	2-7/16	6-5/8	F.S.	7.00
8	2023145	8-2	1/2	1-1/2	1-3/4	1-5/8	2-9/16	6-5/16	F.S.	10.00
8	907807	1173	5/8	3/4*	1-3/8	1-1/4	2	6-1/2	D.I.	6.75
8	913300	1193	5/8	7/8*	1-3/8	1-1/4	2-1/2	6-5/8	D.I.	8.50
8	913328	1193	5/8	1*	1-3/8	1-1/4	2-3/4	6-5/8	D.I.	7.20
8	913346	1193	5/8	1-1/8*	1-3/8	1-1/4	2-1/2	6-5/8	D.I.	8.50
8	913364	1193	5/8	1-1/4*	1-3/8	1-1/4	2-1/2	6-5/8	D.I.	8.50
8	913382	1193	5/8	1-1/2*	1-3/8	1-1/4	2-1/2	6-5/8	D.I.	8.50
8	461244	8-2	5/8	1-1/2	1-1/2	1-3/8	2-7/16	6-5/8	F.S.	7.00
8	2023147	8-2	5/8	1-1/2	1-3/4	1-5/8	2-9/16	6-5/16	F.S.	10.00
8	461253	8-2	3/4	1-1/2	1-1/2	1-3/8	2-7/16	6-5/8	F.S.	7.00
8	2028227	8NS-2	3/4	2	2-5/16	2-1/8	3-1/4	6-1/8	F.S.	12.50
8	461397	8NS-2-RB	3/4	2-3/4	2-5/16	2-3/16	3-3/4	6	R.F.	10.50
8	2023386	8NS-2	7/8	2	2-5/16	2-1/8	3-1/4	6-1/8	F.S.	12.50
8	461501	8NS-5	1-1/8	3-1/2	2-1/2	2-3/8	5	5-7/16	C.S.	15.00
-	-	-	-	-	-	-	-	-	-	-
9-7/8	462831	10-11	3/8	2-1/2	1-3/4	1-1/8	3-3/4	8-9/16	F.S.	14.00
9-7/8	462154	10-1	1/2	1*	1-1/2	1-3/8	3-1/4	8-1/2	F.S.	9.50
9-7/8	2023166	10-2	1/2	1-1/2	1-3/4	1-5/8	2-9/16	8-5/16	F.S.	14.50
9-7/8	462840	10-11	1/2	2-1/2	1-3/4	1-1/8	3-3/4	8-9/16	F.S.	14.00
9-7/8	462163	10-1	5/8	1*	1-1/2	1-3/8	3-1/4	8-1/2	F.S.	9.50
9-7/8	2023170	10-2	5/8	1-1/2	1-3/4	1-5/8	2-9/16	8-5/16	F.S.	14.50
9-7/8	2023174	10-2	3/4	1-1/2	1-3/4	1-5/8	2-9/16	8-5/16	F.S.	14.50
9-7/8	2023420	10NS-2	7/8	2	2-5/16	2-3/16	3-1/2	8-1/8	F.S.	15.00
9-7/8	2023428	10NS-2	1	2	2-5/16	2-3/16	3-1/2	8-1/8	F.S.	15.00
-	-	-	-	-	-	-	-	-	-	-
10	2026861	10NS-3	1-1/8	2-1/4	2-1/2	2-3/8	4-1/2	7-3/8	F.S.	27.00
10	2023785	10NS-5	1-1/8	3-1/2	2-1/2	2-3/8	5-3/4	7-3/8	F.S.	28.00
10	907923	1173	1/2	7/8*	1-1/8	1	2-7/8	8-3/4	D.I.	10.00
10	907941	1173	1/2	1*	1-1/8	1	2-7/8	8-3/4	D.I.	11.80
10	907969	1173	5/8	3/4*	1-3/8	1-1/4	2	8-1/2	D.I.	9.25
10	916717	10-1	5/8	7/8*	1-3/8	1-1/4	2-3/4	8-1/2	F.S.	10.00
10	913685	1193	5/8	7/8*	1-3/8	1-1/4	3	8-1/2	D.I.	13.50
10	908003	1173	5/8	1*	1-3/8	1-1/4	2	8-1/2	D.I.	9.25
10	916726	10-1	5/8	1*	1-3/8	1-1/4	2-3/4	8-1/2	F.S.	14.00
10	2027291	10-1	5/8	1-1/4*	1-3/8	1-1/4	2-3/4	8-1/2	F.S.	14.00
10	913765	1193	5/8	1-1/2*	1-3/8	1-1/4	3	8-1/2	D.I.	12.60
10	913863	10-1	3/4	1-1/2*	1-5/8	1-1/2	3-1/2	8-1/4	F.S.	16.00
10	916824	1208	3/4	1-1/4*	1-5/8	1-1/2	3-1/2	7-3/4	F.S.	17.00
10	913845	10-1	3/4	1-1/4*	1-5/8	1-1/2	3-1/2	8-1/4	F.S.	16.00
10	916833	1208	3/4	1-1/2*	1-5/8	1-1/2	3-1/4	7-3/4	F.S.	17.00
10	913807	10-1	3/4	1*	1-5/8	1-1/2	3-1/2	8-1/4	F.S.	16.00
-	-	-	-	-	-	-	-	-	-	-
11-7/8	462323	12-6	3/8	2-1/2	2-5/16	1	3-3/4	10-3/4	D.I.	11.20
-	-	-	-	-	-	-	-	-	-	-
12	2023227	12-1	5/8	1-1/2	1-3/4	1-5/8	3-1/4	10-1/4	F.S.	22.00
12	2023235	12-1	3/4	1-1/2	1-3/4	1-5/8	3-1/4	9-3/8	F.S.	22.00
12	2023252	12-1	7/8	1-1/2	1-3/4	1-5/8	3-1/4	10-1/4	F.S.	22.00
12	462564	12-9	5/8	2-1/2	1-3/4	1-5/8	4-1/2	10-2/3	R.F.	24.00
12	462573	12-9	3/4	2-1/2	1-3/4	1-5/8	4-1/2	9-3/8	R.F.	24.00
12	908049	1173	1/2	1*	1-1/8	1	4	10-5/8	D.I.	16.50
12	908085	1173	1/2	1-1/4*	1-1/8	1	4	10-5/8	D.I.	16.50
12	917002	1208	5/8	1*	1-5/8	1-1/2	3-1/4	10-1/8	F.S.	18.00
12	917011	1208	5/8	1-1/8*	1-5/8	1-1/2	3-1/4	10-1/8	F.S.	18.00
12	462387	12-2A	5/8	2	2-5/16	2-3/16	4-1/2	10-1/8	R.F.	26.00
12	908129	1173	3/4	1*	1-5/8	1-1/2	2-3/4	10-1/4	D.I.	18.25
12	908147	1173	3/4	1-1/8*	1-5/8	1-1/2	2-3/4	10-1/4	D.I.	18.25
12	914121	1193	3/4	1-1/8*	1-5/8	1-1/2	5-1/4	10-1/4	D.I.	25.50
12	914149	1193	3/4	1-1/4	1-5/8	1-1/2	5-1/4	10-1/4	D.I.	25.50
12	914167	1193	3/4	1-1/2*	1-5/8	1-1/2	5-1/4	10-1/4	D.I.	25.50
12	346593	12-2-A	3/4	2-1/4	2-5/16	2-3/16	4-1/2	9-3/4	R.F.	26.00

# McKissick® Sheaves

"A" Nominal Outside Diameter (in.)*	Stock No.	Pattern Number	Wire Line Size (in.)	"D" Shaft Size (in.)	Hub Width (in.)	Rim Width (in.)	"C" Nominal Hub Outside Dia. (in.)	"B" Nominal Tread Dia. (in.)	Material	Approx. Weight (lbs.)
12	4104882	12-9	3/4	2-1/2	1-3/4	1-5/8	4-1/2	9-3/4	R.F.	25.00
12	462449	12-2-A	3/4	2	2-5/16	2-3/16	4-1/2	9-3/4	R.F.	26.00
12	4104917	12-2-A	3/4	2-1/2	2-5/16	2-3/16	4-1/2	9-3/4	R.F.	25.00
12	462485	12-5	3/4	3	3	1-7/8	5-1/2	9-3/8	R.F.	21.00
12	908227	1173	7/8	1-1/4*	2	1-3/4	3-3/4	10	D.I.	20.25
12	908245	1173	7/8	1-1/2*	2	1-3/4	3-3/4	10	D.I.	20.25
12	462458	12-2-A	7/8	2	2-5/16	2-3/16	4-1/2	10-1/4	R.F.	26.00
12	2023554	12-NS-3	7/8	2-1/4	2-1/2	2-3/8	4-1/2	9-3/8	R.F.	28.00
12	4104891	12-9	7/8	2-1/2	1-3/4	1-5/8	4-1/2	10-1/4	R.F.	25.00
12	462467	12-2-A	1	2	2-5/16	2-3/16	4	10	R.F.	26.00
12	2023552	12-NS-3	1-1/8	2-1/4	2-1/2	2-3/8	4-1/2	9-3/8	R.F.	26.00
-	-	-	-	-	-	-	-	-	-	-
13	462779	13-2	3/8	2	1-1/2	1-1/8	3-1/2	11-5/8	R.F.	14.00
13	462788	13-2	1/2	2	1-1/2	1-1/8	3-1/2	11-5/8	R.F.	14.00
-	-	-	-	-	-	-	-	-	-	-
14	463625	14-1	5/8	1-1/2	1-3/4	1-5/8	3-1/4	12-1/8	R.F.	20.00
14	463634	14-1	3/4	1-1/2	1-3/4	1-5/8	3-1/4	11-3/8	R.F.	20.00
14	463643	14-1	7/8	1-1/2	1-3/4	1-5/8	3-1/4	11-3/8	R.F.	20.00
14	463448	14NS-3	7/8	2-1/4	2-1/2	2-3/8	4-1/2	12-1/4	R.F.	28.00
14	463457	14NS-3	1	2-1/4	2-1/2	2-3/8	4-1/2	11-3/8	R.F.	28.00
14	463466	14NS-3	1-1/8	2-1/4	2-1/2	2-3/8	4-1/2	11-3/8	R.F.	28.00
14	**463518	14WL-8	1/2	3-3/4	2-1/2	1-3/8	5-1/16	12-5/8	D.I.	15.00
14	4103552	14-2	5/8	2	1-3/4	1-5/8	4-1/2	12-1/8	R.F.	29.20
14	**908281	1173	3/4	1-1/8*	1-5/8	1-7/16	3-1/4	12-1/4	C.I.	26.50
14	**908307	1173	3/4	1-1/4*	1-5/8	1-1/2	3-1/4	12-1/4	C.I.	26.50
14	917173	1208	3/4	1-1/4*	1-5/8	1-1/2	4	12	R.F.	26.50
14	917191	1208	3/4	1-1/2*	1-5/8	1-1/2	3-1/4	11-3/4	R.F.	26.50
14	4103632	14-2	3/4	2	1-3/4	1-5/8	4-1/2	11-3/4	R.F.	30.00
14	4104828	24S7-A	3/4	2-3/4	2-5/16	2-3/16	5-1/2	11-3/4	R.F.	35.00
14	**914443	1193	7/8	1-1/4*	1-5/8	1-1/2	3-1/2	12-1/8	C.I.	34.00
14	917182	1208	7/8	1-1/4*	1-5/8	1-1/2	4	12	R.F.	26.50
14	**914452	1193	7/8	1-1/2*	1-5/8	1-1/2	3-1/2	12-1/8	C.I.	34.00
14	917208	1208	7/8	1-1/2*	1-5/8	1-1/2	4	12	R.F.	26.50
14	463484	14PL-8	7/8	2	2-5/16	2-1/8	4-1/2	11-3/8	R.F.	28.00
14	4103641	14-2	7/8	2	1-3/4	1-5/8	4-1/2	12-1/4	R.F.	31.00
-	-	-	-	-	-	-	-	-	-	-
16	4101395	16-4	1/2	3-1/2	2-3/4	2-1/2	5-3/4	14-1/4	R.F.	54.00
16	4100047	16-4	3/4	3-1/2	2-3/4	2-1/2	5-3/4	13-3/8	R.F.	47.00
16	4100109	16-17	3/4	3-3/4	2-3/4	2-1/2	5-3/4	13-3/8	R.F.	42.00
16	4103703	16-5	7/8	2-1/2	2-5/16	2-3/16	4-1/2	12-15/16	R.F.	35.00
16	4105211	16-5	7/8	2-3/4	2-5/16	2-3/16	4-1/2	12-15/16	R.F.	42.00
16	917342	1208	1	1-1/2*	2	1-3/4	4-1/4	13-1/4	R.F.	34.00
16	917360	1208	1	2*	2	1-3/4	4-1/4	13-1/4	R.F.	34.00
16	4100127	16-17	1	3-3/4	2-3/4	2-1/2	5-3/4	13-1/4	R.F.	63.00
-	-	-	-	-	-	-	-	-	-	-
18	4105131	18-2	7/8	3	2-5/16	2-3/16	5-1/2	14-15/16	R.F.	52.00
18	4105195	26FS-8	7/8	5-1/2	2-7/8	2-5/8	8	14-15/16	R.F.	59.00
18	917468	1208	1	1-1/2*	2	1-7/8	3-1/4	14-7/8	R.F.	55.00
18	917486	1208	1	2*	2	1-7/8	4-1/2	14-7/8	R.F.	55.00
18	914826	1193	1	2*	2	1-3/4	5-3/4	15-3/4	R.F.	62.00
18	4104052	18-2	1	2-3/4	2-5/16	2-3/16	5-1/2	14-7/8	R.F.	66.00
18	4105140	18-2	1	3	2-5/16	2-3/16	5-1/2	14-7/8	R.F.	52.00
18	4100298	26FS-7	1	4	3	2-3/4	6-1/2	15-1/8	R.F.	81.00
18	4103348	26FS-7	1-1/8	4	3	2-3/4	6-1/2	15-1/8	R.F.	60.00
-	-	-	-	-	-	-	-	-	-	-
20	4100341	20-2	3/4	3	2-5/16	2-3/16	5-1/2	18	R.F.	68.00
20	4105239	20-2	3/4	3-3/4	2-3/4	2-1/8	6-1/2	18	R.F.	68.00
20	4100350	20-2	7/8	3	2-5/16	2-3/16	5-1/2	17-1/8	R.F.	45.00
20	4105266	32-T-8	7/8	5-1/2	2-7/8	2-5/8	8	16-15/16	R.F.	68.00
20	4100369	20-2	1	3	2-5/16	2-3/16	5-1/2	17-1/8	R.F.	80.15
20	4105328	20-2	1	3-1/4	2-5/16	2-3/16	5-1/2	17-1/8	R.F.	68.00
20	4105257	20-2	1	3-3/4	2-3/4	2-1/8	6-1/2	16-1/2	R.F.	68.00
20	4105275	32-T-8	1	5-1/2	2-7/8	2-5/8	8	17-1/8	R.F.	68.00
-	-	-	-	-	-	-	-	-	-	-
24	4105346	24TS-8	9/16	5-3/4	3-3/8	3-1/8	8	22	R.F.	113.00
24	4105355	24TS-8	7/8	5-3/4	3-3/8	3-1/8	8	21	R.F.	133.00
24	4100859	42TS8-2	1	4	3	2-3/4	6-1/2	21-1/8	R.F.	80.00
24	4105382	42TS8-1	1	5-1/2	2-7/8	2-5/8	8	21-1/8	R.F.	130.00
24	4100868	42TS-8	1-1/8	4	3	2-3/4	6-1/2	20-1/16	R.F.	110.00
24	4105391	42TS8-2	1-1/8	5-1/2	2-7/8	2-5/8	8	20-1/16	R.F.	134.00
24	4105373	24TS-8	1-1/8	5-3/4	3-3/8	3-1/8	8	20-1/16	R.F.	137.00


# McKissick® Sheaves

"A" Nominal Outside Diameter (in.)*	Stock No.	Pattern Number	Wire Line Size (in.)	"D" Shaft Size (in.)	Hub Width (in.)	Rim Width (in.)	"C" Nominal Hub Outside Dia. (in.)	"B" Nominal Tread Dia. (in.)	Material	Approx. Weight (lbs.)
30	4105426	48T8-B	7/8	5-3/4	3-3/8	3-1/8	8	27	R.F.	203.00
30	4101215	48T8-B	7/8	6	3-1/2	3-1/8	8	27	R.F.	140.00
30	4105435	48T8-B	1	5-3/4	3-3/8	3-1/8	8	27	R.F.	203.00
30	4105453	48T8-B	1	7	3-1/2	3-1/8	9-1/2	27	R.F.	211.00
30	4105444	48T8-B	1-1/8	5-3/4	3-3/8	3-1/8	8	27	R.F.	203.00
30	4105462	48T8-B	1-1/8	7	3-1/2	3-1/8	9-1/2	26-3/8	R.F.	211.00
30	4105471	48T8-B	1-1/4	7	3-1/2	3-1/8	9-1/2	26-3/8	R.F.	211.00

\* Self Lubricating Bronze Bushing

\*\* Without Flame Hardening.

Material: B.S.=Bar Steel, C.I.=Cast Iron, F.S.=Forged Steel, D.I.=Ductile Iron, C.S.=Cast Steel, P.M.=Powdered Metal, R.F.=Roll Forged.



**SEE APPLICATION AND WARNING INFORMATION**

Para Español: [www.thecrosbygroup.com](http://www.thecrosbygroup.com) See Pages 342-349

## Roller Bearing Sheaves

- Roll Forged™ sheaves are available in sizes up to 72" in diameter.
- McKissick® Roller Bearing Sheaves are designed to operate on shafts carburized to 60 Rockwell "C" and ground to +/- .0005 of the indicated shaft size. Some sizes are available with an optional inner race. Check with Crosby Sales for prices and correct shaft size.
- Application should provide for 1/32" running clearance over the hub width.
- For sizes not listed, McKissick® Finished Bore Sheaves can be equipped with Roller Bearings at an optional charge.

"A" Nominal Outside Diameter (in.)*	Stock No.	Pattern Number	Wire Line Size (in.)	"D" Shaft Size (in.)	Hub Width (in.)	Rim Width (in.)	"C" Nominal Hub Outside Dia. (in.)	"B" Nominal Tread Dia. (in.)	Material	Approx. Weight (lbs.)
4	472508	4-1	1/8	.997	1	7/8	2	3-1/8	B.S.	2.00
4	472517	4-1	1/4	.997	1	7/8	2	3-1/8	B.S.	2.00
4	472535	4-1	3/8	.997	1	7/8	2	3-1/8	B.S.	2.00
-	-	-	-	-	-	-	-	-	-	-
4	2025893	4-K	3/8	.997	1-1/2	1-3/8	2	3	F.S.	3.50
4	2028063	4-K	1/2	.997	1-1/2	1-3/8	2	3	F.S.	3.50
4	2025891	4-K	5/8	.997	1-1/2	1-3/8	2	3	F.S.	3.50
-	-	-	-	-	-	-	-	-	-	-
4-7/8	472768	5-1-B	3/8	1.247	1-1/4	1-1/8	2-1/4	4-1/16	F.S.	3.60
4-7/8	472777	5-1-B	1/2	1.247	1-1/4	1-1/8	2-1/4	4-1/16	F.S.	3.60
4-7/8	472786	5-1-B	5/8	1.247	1-1/4	1-1/8	2-1/4	4-1/16	F.S.	3.60
-	-	-	-	-	-	-	-	-	-	-
5-1/4	2026427	6-6	5/8	.997	1-1/2	1-3/8	2-1/16	3-7/8	F.S.	4.00
5-1/4	2026423	6-6	3/4	.997	1-1/2	1-3/8	2-1/16	3-7/8	F.S.	4.00
-	-	-	-	-	-	-	-	-	-	-
5-7/8	2023141	6-2	5/8	1.497	1-3/4	1-5/8	2-1/2	4-3/8	F.S.	6.00
5-7/8	2023143	6-2	3/4	1.497	1-3/4	1-5/8	2-1/2	4-3/8	F.S.	6.00
5-7/8	2023142	6-2	7/8	1.497	1-3/4	1-5/8	2-1/2	4-3/8	F.S.	6.00
-	-	-	-	-	-	-	-	-	-	-
6	472875	6-8	1/2	1.997	1-3/4	1-1/4	3-1/8	4-3/4	F.S.	7.00
-	-	-	-	-	-	-	-	-	-	-
7-1/2	2025898	8-7	5/8	.997	1-1/2	1-3/8	2-1/16	6-5/16	F.S.	7.50
7-1/2	2025892	8-7	3/4	.997	1-1/2	1-3/8	2-1/16	6-5/16	F.S.	7.50
-	-	-	-	-	-	-	-	-	-	-