

Technical Specifications

Product : **Titan 1 point harness with belt**

Reference : 10 118 93

Product : 1 point harness (dorsal D ring), with comfortable belt, side D-rings, fast release buckles & adjustable legs straps.



Main features

- Blue with black line webbing

Raw material : Polyamide webbing
Width: 45mm

- Dorsal & side D-rings

Raw material : stainless steel

- Belt buckle

Raw material : galvanised steel

- Fast release buckles

Raw material : galvanised steel

- Weight : 1.000 kg

- Breaking strength : > 15 daN

Standard

EN 361 : Full body harness

CE EN 361



Technical specifications and norms

European directive :
89/686/CEE

Norms :

EC type attestation :
0082/490/160/06/04/0177

Quality Assurance
AFAQ: ISO 9001 : Version 2000

Certification number :
N° 0333 AFAQ/CTH

Marking :



[click address to go to....](#)

TITAN 1 POINT HARNESS WITH POSITIONING BELT

Product use

TITAN 1 point harness is easy to use and meets industry and construction compliance requirements.
1 point harness (dorsal D ring)

Technical description

Blue with black line webbing
Raw material : Polyamide webbing
Width: 45mm

Dorsal & side D-rings
Raw material : stainless steel

Belt buckle
Raw material : galvanised steel

Fast release buckles
Raw material : galvanised steel

Weight : 1.000 kg

Breaking strength
> 15 daN

Standard
EN 361

Additional informations

TITAN 1 POINT HARNESS WITH POSITIONING BELT

The supplier or its legal representative supplier settled in the European community :

MILLER

declares that the new Individual Protection Equipment described hereafter :

Designation :

TITAN 1 point harness with positioning belt

Article code :

1011893

is in conformity with Directive dispositions 89/686/CEE.

This PPE has been the object of the EC attestation type :

0082/490/160/06/04/0177

delivered by :

**APAVE Lyonnaise
177 route de Saint-Bel
69811
TASSIN CEDEX
France**

Identified by the number :

0082

Made on the : **06/02/2006**

at : **Vierzon**

Division : **Fall Protection**

By : **Frederic GUICHARD**

[click address to go to....](#)