

Harness

Technical Specifications

Product: MA04

Reference: 1002850 – Size Small
 1002849 – Size M/L
 1004959 – Size XXL

Main Features

Webbing

Shoulder straps:

DuraFlex™ black webbing with green and orange strips
 Width: 45 mm
 Raw material: 100% Polyamide
 Breaking strength: > 2200 daN

Back strap:

Black webbing printed "MILLER"
 Width: 45 mm
 Raw material: 100% Polyester

Buttock straps:

Green elastic webbing
 Width: 45 mm
 Raw material: 100% Polyamide
 Breaking strength: > 2200 daN

Front strap:

Black webbing
 Width: 20 mm
 Raw material: 100% Polyester
 Breaking strength: > 1000 daN

Fittings

Rear D-ring:

Raw material: Ø7 mm Stainless steel
 Breaking strength: > 5000 daN

Adjustment buckles:

Raw material: 45 mm Aluminium alloy
 Breaking strength: > 850 daN

Weight


MA04: 0.925 kg
 MA05: 0.877 kg

Tests

Breaking strength: > 15 KN
 Temperature: -30°C to +50°C

Standards

EN 361: FULL BODY HARNESSSES





Technical specifications and standard

European directive :
89/686/CEE

Norms :
EN361

EC type attestation :
0082/490/160/01/02/0014 EXT
N°01/06/03

Quality Assurance
AFAQ: ISO 9001 : Version 2000

Certification number :
0333 AFAQ/CTH

Marking :
MILLER



DURAFLEX HARNESS 2PT MA04 - SIZE M

Product use

2-point - Fall arrest full body harness, rear & front anchorage for use with lanyard or fall arrester. With Teflon finish.

Technical description

Duraflex shoulder & legs straps
Rear & front anchorage points
Adjustable legs straps
Light weight quick fastening buckles
Easy front & legs adjustment buckles
Sub-pelvic strap

Shoulder & legs straps :
Duraflex™ stretchable 45 mm webbing
Polyamide & elastomer
Breaking strength: > 2200 daN

Rear D-ring:
Raw material: Ø7 mm Stainless steel
Breaking strength: > 5000 daN

Front Soft webbing loops

Adjustment buckles:
Raw material: 45 mm Aluminium alloy
Breaking strength: > 850 daN

Weight : approx. : 0.7 kg
Breaking strength: > 15 KN
Temperature: -30°C to +50°C

Additional information

DuraFlex® webbing is designed to stretch and conform to the worker's body. Elasticated webbing has been patented in Europe. Patent no: EP-B-0902710 in US : Patent no: 6.006.200. All Miller harnesses are CE certified and comply with EN 361 and, where necessary, with EN 358.

[click address to go to...](#)

DURAFLEX HARNESS 2PT MA04 - SIZE M

The supplier or its legal representative supplier settled in the European community :

MILLER

declares that the new Individual Protection Equipment described hereafter :

Designation :

DuraFlex Harness 2pt MA04 - Size M

Article code :

10 028 49

is in conformity with Directive dispositions 89/686/CEE.

This PPE has been the object of the EC attestation type :

0082/490/160/01/02/0014 EXT N°01/06/03

delivered by :

**APAVE Lyonnaise
177 route de Saint-Bel
69811
TASSIN CEDEX
France**

Identified by the number :

0082

Made on the : **05/08/2004**

at : **Vierzon**

Division : **Fall Protection**

By : **Emmanuel MOREAU**

[click address to go to...](#)