

Harness with belt

Technical Specifications

Product: MA58 –Miller™ Duraflex™ harness c/w belt
 2 Fall Arrest Anchorages, 2 Work-Positioning Anchorages

Reference: 1002858 – Small
 1002857 – Medium / Large
 1004954 – XXL

Main Features

Webbing

Shoulder straps:

DuraFlex™ black webbing with green and orange strips
 Width: 45 mm
 Raw material: 100% Polyamide
 Breaking strength: > 2200 daN

Back strap:

Black webbing printed "MILLER"
 Width: 45 mm
 Raw material: 100% Polyester

Buttock straps:

Green elastic webbing
 Width: 45 mm
 Raw material: 100% Polyamide
 Breaking strength: > 2200 daN

Belt & Front straps:

Black webbing
 Width: 44 mm
 Raw material: 100% Polyester
 Breaking strength: > 2900 daN

Back pad

Black comfort pad:

Raw material: polyethylene foam
 Length: 700mm
 Width: 180mm

Fittings

Rear D-ring:

Raw material: Ø7 mm Stainless steel
 Breaking strength: > 5000 daN

Adjustment buckles:

Raw material: 45 mm Aluminium alloy
 Breaking strength: > 850 daN

Weight

MA58: 1.744kg
 MA59: 1.600kg


Tests

Breaking strength: > 15 KN
 Temperature: -30°C to +50°C

Standards

EN 361: FULL BODY HARNESSSES

EN 358: WORK POSITIONING SYSTEMS





Technical specifications and standard

European directive :
89/686/CEE

Norms :
EN361

EC type attestation :
0082/490/160/08/00/0258

Quality Assurance
AFAQ: ISO 9001 : Version 2000

Certification number :
0333 AFAQ/CTH

Marking :
MILLER



DURAFLEX HARNESS 3PT MA58 - SIZE M

Product use

3-point - Fall arrest full body harness - with belt, rear and front anchorage, with Teflon finish.

Technical description

Main Features

DuraFlex shoulder & legs straps
Rear & front anchorage points
Adjustable shoulder and legs straps
Light weight quick fastening buckles
Comfort work positioning belt
Side positioning D-rings
Tools bags carrier
Sub-pelvic strap

Material

Webbing:

Shoulder & legs straps
Duraflex stretchable 45 mm webbing
Polyamide & elastomer
Breaking strength: > 2200 daN

Comfort Belt:

Webbing 44 mm
100% Polyester
Breaking strength: > 2900 daN
Back pad

Comfort pad:

Raw material: polyethylene foam
Length: 700mm
Width: 180mm

Fittings

Rear D-ring:

Raw material: Ø7 mm Stainless steel
Breaking strength: > 5000 daN

Front anchorage D-rings:

Raw material: Ø7 mm Stainless steel
Breaking strength: > 5000 daN

Adjustment buckles:

Raw material: 45 mm Aluminium alloy
Breaking strength: > 850 daN

click address to go to...

DURAFLEX HARNESS 3PT MA58 - SIZE M

Technical

Weight : approx. : 1.744 kg
Breaking strength: > 15 kN
Temperature: -30°C to +50°C

Additional information

DuraFlex® webbing is designed to stretch and conform to the worker's body. Elasticated webbing has been patented in Europe. Patent no: EP-B-0902710 in US : Patent no: 6.006.200. All Miller harnesses are CE certified and comply with EN 361 and, where necessary, with EN 358.

[click address to go to...](#)

DURAFLEX HARNESS 3PT MA58 - SIZE M

The supplier or its legal representative supplier settled in the European community :

MILLER

declares that the new Individual Protection Equipment described hereafter :

Designation :

DuraFlex Harness 3pt MA58 - Size M

Article code :

10 028 57

is in conformity with Directive dispositions 89/686/CEE.

This PPE has been the object of the EC attestation type :

0082/490/160/08/00/0258

delivered by :

**APAVE Lyonnaise
177 route de Saint-Bel
69811
TASSIN CEDEX
France**

Identified by the number :

0082

Made on the : **05/08/2004**

at : **Vierzon**

Division : **Fall Protection**

By : **Frederic GUICHARD**

[click address to go to...](#)