



# SELBY ENGINEERING & LIFTING SAFETY LTD.

Lifting Equipment and Height Safety Specialists

www.liftingsafety.co.uk Email: sales@liftingsafety.co.uk

Tel: +44 (0) 1977 684 600 Fax: +44 (0) 1977 685 300

## JDN Hoist Enquiry Form

### 1. Your Details:

Company Name: \_\_\_\_\_

Contact Name: \_\_\_\_\_

Address: \_\_\_\_\_

\_\_\_\_\_

\_\_\_\_\_

Country: \_\_\_\_\_

Phone: \_\_\_\_\_

E-Mail: \_\_\_\_\_

### 2. Details of Location:

#### Explosion Protection

Explosion Zone:  Zone 1  Zone 21  Zone 2  Zone 22  
Temperature Class:  T1  T2  T3  T4  T5  T6  
Explosion Group:  IIA  IIB  IIC

#### General Environment

Indoor  Outdoor  Offshore  Underground  
 Dirty  Dusty  Dry  Humid  
 Aggressive Environment: \_\_\_\_\_

Temperature: from \_\_\_\_\_°C to \_\_\_\_\_°C

#### Air Supply System

Existing System Pressure: \_\_\_\_\_ bar Available Air Connection: G\_\_\_\_\_

#### Details of the Load

Max. Weight: \_\_\_\_\_ t Average Weight: \_\_\_\_\_ t  
Kind of Load: \_\_\_\_\_

#### Height of Lift/ Length of Cord

Height of Lift: \_\_\_\_\_ m Length of control: \_\_\_\_\_ m

#### Operating Conditions

Number of Lifts per Day: \_\_\_\_\_ Operating Time per Day: \_\_\_\_\_  
Is a special lifting speed required?  No (standard)  Yes: \_\_\_\_\_ m/min



## SELBY ENGINEERING & LIFTING SAFETY LTD.

Lifting Equipment and Height Safety Specialists

www.liftingsafety.co.uk Email: sales@liftingsafety.co.uk

Tel: +44 (0) 1977 684 600 Fax: +44 (0) 1977 685 300

### 3. Required Type of JDN Lifting Equipment

- Mini**             With Mini Toolbox     In Manual Trolley     Mini Manipulator
- Profi**             In Manual Trolley     Reel Chain Trolley     Motor Trolley             Low H/R
- Monorail Hoist **EH**                             Ultra-Low Monorail Hoist **UH**
- Big Bag Handling Hoist **BBH** with:     1 Hook                     2 Hooks
- Hydraulic Version

### 4. Controls

- Rope Control             E Control                             F Control                             FI Control
- with Emergency Stop     Extension Arm

### 5. Accessories

- Chain Container     Service Unit            Filter Silencer            Pneumatic Limit Switch
- Hoist     Hoist
- Trolley     Trolley

- Filter Regulator     Air Hose \_\_\_\_m     Grease Cartridge     Booster Valve

Special Paint: \_\_\_\_\_

- Copper Plated Load Hook     Stainless Steel Load Hook     Stainless Steel Chain
- Nickel Plated Hoist             Remote Control                     Electro-Pneumatic Interface
- Manual Emergency Lowering Device

### 6. Energy Supply

- Spiral Hose             Square Bar             C-Rail                             Energy Chain

### 7. Beam Dimensions

Beam: \_\_\_\_\_ Length: \_\_\_\_\_m    Flange Width: \_\_\_\_\_m    Min. Radius: \_\_\_\_\_m

### 8. Special Requirements for

- Documentation: \_\_\_\_\_
- Packing: \_\_\_\_\_
- Spare Parts: \_\_\_\_\_