



SELBY ENGINEERING & LIFTING SAFETY LTD.

Lifting Equipment and Height Safety Specialists

www.liftingsafety.co.uk sales@liftingsafety.co.uk

Tel: +44 (0) 1977 684 600 Fax: +44 (0) 1977 685 300

Technical Specifications

Product : **Titan 1 point harness**

Reference : 10 118 90

Product : 1 point harness (dorsal D ring), with fast release buckles & adjustable legs straps.



Main features

- Blue with black line webbing

Raw material : Polyamide webbing

Width: 45mm

- Dorsal D-ring

Raw material : stainless steel

- Fast release buckles

Raw material : galvanised steel

- Weight : 0.500 kg

- Breaking strength : > 15 daN

Standard

EN 361 : Full body harness



EN 361



Technical specifications and norms

European directive :
89/686/CEE

Norms :

EC type attestation :
0082/490/160/06/04/0176

Quality Assurance
AFAQ: ISO 9001 : Version 2000

Certification number :
N° 0333 AFAQ/CTH

Marking :



[click address to go to....](#)

TITAN 1 POINT HARNESS

Product use

TITAN 1 point harness is easy to use and meets industry and construction compliance requirements.
1 point harness (dorsal D ring)

Technical description

Webbing: Blue with black line
Raw material : Polyamide webbing
Width: 45mm

Dorsal D-ring
Raw material : stainless steel

Fast release buckles
Raw material : galvanised steel

Weight
0.500 kg

Breaking strength
> 15 daN

Standard
EN 361

Additional informations

TITAN 1 POINT HARNESS

The supplier or its legal representative supplier settled in the European community :

MILLER

declares that the new Individual Protection Equipment described hereafter :

Designation :

TITAN 1 point harness

Article code :

1011890

is in conformity with Directive dispositions 89/686/CEE.

This PPE has been the object of the EC attestation type :

0082/490/160/06/04/0176

delivered by :

APAVE Lyonnaise

177 route de Saint-Bel

69811

TASSIN CEDEX

France

Identified by the number :

0082

Made on the : **06/02/2006**

at : **Vierzon**

Division : **Fall Protection**

By : **Frederic GUICHARD**

[click address to go to....](#)