

1 Point DuraFlex™ Harness

Technical Specifications

Product: MA02

Reference: 1002847 **Size: Medium/Large**
 1002848 **Size: Small**

Main Features

Webbing

Shoulder straps:

DuraFlex™ black webbing with green and orange strips

Width: 45 mm

Raw material: 100% Polyamide

Breaking strength: > 2200 daN

Back strap:

Black webbing printed "MILLER"

Width: 45 mm

Raw material: 100% Polyester

Buttock straps:

Green elastic webbing

Width: 45 mm

Raw material: 100% Polyamide

Breaking strength: > 2200 daN

Front strap:

Black webbing

Width: 20 mm

Raw material: 100% Polyester

Breaking strength: > 1000 daN

Fittings

Rear D-ring:

Raw material: Ø7 mm Stainless steel

Breaking strength: > 5000 daN

Adjustment buckles:

Raw material: 45 mm Aluminium alloy

Breaking strength: > 850 daN

Weight

MA02: 0.707 kg

MA03: 0.659 kg


Tests

Breaking strength: > 15 KN

Temperature: -30°C to +50°C

Standards

EN 361: FULL BODY HARNESSSES





Technical specifications and standard

European directive :
89/686/CEE

Norms :
EN361

EC type attestation :
0082/490/160/01/02/0014 EXT
N°01/06/03

Quality Assurance
AFAQ: ISO 9001 : Version 2000

Certification number :
0333 AFAQ/CTH

Marking :
MILLER



DURAFLEX HARNESS 1PT MA02 - SIZE M

Product use

1-point - Fall arrest full body harness for use with lanyard or fall arrester.

Technical description

Duraflex Shoulder & legs straps
Back anchorage point
Adjustable legs straps
Light weight quick fastening buckles
Easy front & legs adjustment buckles
Sub-pelvic strap

Shoulder & legs straps :
Duraflex™ stretchable 45 mm webbing
Polyamide & elastomer
Breaking strength: > 2200 daN

D-ring (rear) :
Raw material: Ø7 mm Stainless steel
Breaking strength: > 5000 daN

Adjustment buckles:
Raw material: 45 mm Aluminium alloy
Breaking strength: > 850 daN

Weight : approx. : 0.7 kg
Breaking strength: > 15 KN
Temperature: -30°C to +50°C 1-point harness, rear anchorage.

Additional information

DuraFlex® webbing is designed to stretch and conform to the worker's body. Elasticated webbing has been patented in Europe. Patent no: EP-B-0902710 in US : Patent no: 6.006.200. All Miller harnesses are CE certified and comply with EN 361 and, where necessary, with EN 358.

[click address to go to...](#)

DURAFLEX HARNESS 1PT MA02 - SIZE M

The supplier or its legal representative supplier settled in the European community :

MILLER

declares that the new Individual Protection Equipment described hereafter :

Designation :

DuraFlex Harness 1pt MA02 - Size M

Article code :

10 028 47

is in conformity with Directive dispositions 89/686/CEE.

This PPE has been the object of the EC attestation type :

0082/490/160/01/02/0014 EXT N°01/06/03

delivered by :

**APAVE Lyonnaise
177 route de Saint-Bel
69811
TASSIN CEDEX
France**

Identified by the number :

0082

Made on the : **05/08/2004**

at : **Vierzon**

Division : **Fall Protection**

By : **Emmanuel MOREAU**

[click address to go to...](#)