

Technical Specifications

Product: Manhandler Rescue winch
Reference: 1005042 – Galva. steel wire rope
 1005044 – Stainless steel wire rope

Main Features

Raw material

Housing : steel weldment, yellow chromate plating
 Drum : Stainless Steel, zinc plated
 Friction brake : composite fibre , brake paws steel, zinc plated
 Wire rope : 6.5 mm Stainless Steel or Galva.

Accessories

Pulley

Raw material: Stainless steel
 Breaking strength: > 2200 daN

Dimensions

A	B	C	D	E	F
500	265	390	250	220	440

Weight



17 kg


Technical

Breaking strength: > 10 KN
 Maximum safe working load: 150 kg - Gear ratio : 5/1
 Temperature: -30°C to +50°C
 Brake holding & inertia – friction disk

Standards

EN 1496





MANHANDLER RESCUE WINCH MN20 - GALVANISED STEEL

Product use

Manhandler Rescue Winch MN20 - Galvanised steel wire rope - 20m

Technical description

Raw material :

Housing : steel weldment, yellow chromate plating
 Drum : Stainless Steel, zinc plated
 Friction brake : composite fibre , brake paws steel, zinc plated
 Wire rope : 6.5 mm Stainless Steel or Galva.

Accessories :

Pulley
 Raw material: Stainless steel
 Breaking strength: > 2200 daN

Weight : 17 kg

Technical

Breaking strength: > 10 KN
 Maximum safe working load: 150 kg - Gear ratio : 5/1
 Temperature: -30°C to +50°C
 Brake holding & inertia – friction disk

Technical specifications and standard

European directive :

Norms :

EC type attestation :

Quality Assurance

Certification number :

Marking :

Additional information

[click address to go to...](#)

MANHANDLER RESCUE WINCH MN20 - GALVANISED STEEL

The supplier or its legal representative supplier settled in the European community :

MILLER

declares that the new Individual Protection Equipment described hereafter :

Designation :

Manhandler Rescue Winch MN20 - Galvanised steel

Article code :

10 050 42

is in conformity with Directive dispositions .

This PPE has been the object of the EC attestation type :

delivered by :

Made on the :

at :

Division : **Fall Protection**

By :

[click address to go to...](#)