



# LIFTINGSAFETY

SELBY ENGINEERING AND LIFTING SAFETY LTD - LIFTING STANDARDS IN SAFETY  
Tel: +44 (0) 1977 684 600 Email: sales@liftingsafety.co.uk  
LIFTING EQUIPMENT AND HEIGHT SAFETY SPECIALISTS



## Specifications Sheet for Load Fall Arrestors

(Must be filled in for any request – Please complete and return to [sales@liftingsafety.co.uk](mailto:sales@liftingsafety.co.uk))

### Load

The load to be arrested must include the total weight of the equipment to be secured, without dynamic effect and with precision +/- 20kg

|                                       |  |
|---------------------------------------|--|
| Max. load to be secured (kg):         |  |
| Load dimensions (metres – L x W x H): |  |
| Number of anchorage points:           |  |
| Number of hoists:                     |  |

### Cycles


|                                |  |
|--------------------------------|--|
| Number of cycles per hour:     |  |
| Number of cycles per day:      |  |
| Working time without stopping: |  |

### Speed of moving load (m/min)

|         | Raising | Lowering |
|---------|---------|----------|
| Maximum |         |          |
| Minimum |         |          |

### Distance

|                           |  |
|---------------------------|--|
| Total distance in metres: |  |
| Load movement in metres:  |  |



### Working Environment

|                       |     |    |
|-----------------------|-----|----|
| Max. temperature (°C) |     |    |
| Min. temperature (°C) |     |    |
| Inside use:           | Yes | No |
| Outside use:          | Yes | No |
| Wet environment:      | Yes | No |
| Acid Environment:     | Yes | No |
| Additional comments:  |     |    |

### Drawing of Installation

### Company Information

|                |  |
|----------------|--|
| Name:          |  |
| Address:       |  |
| Postcode:      |  |
| Telephone:     |  |
| Contact Name:  |  |
| Email Address: |  |
| Date:          |  |
| Signature:     |  |

