




SELBY ENGINEERING & LIFTING SAFETY LTD.

Lifting Equipment and Height Safety Specialists
 www.liftingsafety.co.uk Email: sales@liftingsafety.co.uk
 Tel: (01977) 684600 Fax: (01977) 685300

Capacity: 152kg



MAX. LOAD AT POSITIONS			
	1	2	3
Kg	152	102	76

Model No.	152 Kg CTC-152
Capacity Position 1	152 Kg
Capacity Position 2	102 Kg
Capacity Position 3	76 Kg
Maximum Height Hook to Ground Position 1	2060 mm
Maximum Height Hook to Ground Position 2	2230 mm
Maximum Height Hook to Ground Position 3	2370 mm
Minimum Height Hook to Ground Position 1	910 mm
Minimum Height Hook to Ground Position 2	810 mm
Minimum Height Hook to Ground Position 3	710 mm
Column Height	1620 mm
Overall Base Length	990 mm
Base Width	540 mm
Wheel Diameter	125 mm
Weight Without Counterweight	135 Kg
Weight of Counterweight Required for Maximum Capacities	200 Kg

3 LINCOLN WAY, SHERBURN-IN-ELMET, LEEDS, WEST YORKSHIRE LS25 6PJ
 Registered in England No. 3013233. V.A.T. Reg No. 599 2962 66
 www.liftingsafety.co.uk Email: sales@liftingsafety.co.uk






SELBY ENGINEERING & LIFTING SAFETY LTD.

Lifting Equipment and Height Safety Specialists
 www.liftingsafety.co.uk Email: sales@liftingsafety.co.uk
 Tel: (01977) 684600 Fax: (01977) 685300

Capacity: 254kg



Model No.	254 Kg CTC-264
Capacity Position 1	254 Kg
Capacity Position 2	178 Kg
Capacity Position 3	102 Kg
Maximum Height Hook to Ground Position 1	2080 mm
Maximum Height Hook to Ground Position 2	2240 mm
Maximum Height Hook to Ground Position 3	2350 mm
Minimum Height Hook to Ground Position 1	1010 mm
Minimum Height Hook to Ground Position 2	890 mm
Minimum Height Hook to Ground Position 3	490 mm
Column Height	1800 mm
Overall Base Length	1220 mm
Base Width	580 mm
Wheel Diameter	200 mm
Weight Without Counterweight	180 Kg
Weight of Counterweight Required for Maximum Capacities	249 Kg


3 LINCOLN WAY, SHERBURN-IN-ELMET, LEEDS, WEST YORKSHIRE LS25 6PJ
 Registered in England No. 3013233. V.A.T. Reg No. 599 2962 66
 www.liftingsafety.co.uk Email: sales@liftingsafety.co.uk





SELBY ENGINEERING & LIFTING SAFETY LTD.

Lifting Equipment and Height Safety Specialists
 www.liftingsafety.co.uk Email: sales@liftingsafety.co.uk
 Tel: (01977) 684600 Fax: (01977) 685300



Model No.	508 Kg CTC-508
Capacity Position 1	508 Kg
Capacity Position 2	381 Kg
Capacity Position 3	254 Kg
Maximum Height Hook to Ground Position 1	2350 mm
Maximum Height Hook to Ground Position 2	2490 mm
Maximum Height Hook to Ground Position 3	2730 mm
Minimum Height Hook to Ground Position 1	800 mm
Minimum Height Hook to Ground Position 2	670 mm
Minimum Height Hook to Ground Position 3	420 mm
Column Height	1850 mm
Overall Base Length	1470 mm
Base Width	640 mm
Wheel Diameter	200 mm
Weight Without Counterweight	220 Kg
Weight of Counterweight Required for Maximum Capacities	320 Kg


3 LINCOLN WAY, SHERBURN-IN-ELMET, LEEDS, WEST YORKSHIRE LS25 6PJ
 Registered in England No. 3013233. V.A.T. Reg No. 599 2962 66
 www.liftingsafety.co.uk Email: sales@liftingsafety.co.uk





SELBY ENGINEERING & LIFTING SAFETY LTD.

Lifting Equipment and Height Safety Specialists
 www.liftingsafety.co.uk Email: sales@liftingsafety.co.uk
 Tel: (01977) 684600 Fax: (01977) 685300



Model No.	750 Kg CTC-750
Capacity Position 1	750 Kg
Capacity Position 2	600 Kg
Capacity Position 3	500 Kg
Maximum Height Hook to Ground Position 1	2350 mm
Maximum Height Hook to Ground Position 2	2490 mm
Maximum Height Hook to Ground Position 3	2730 mm
Minimum Height Hook to Ground Position 1	800 mm
Minimum Height Hook to Ground Position 2	670 mm
Minimum Height Hook to Ground Position 3	420 mm
Column Height	1850 mm
Overall Base Length	1470 mm
Base Width	640 mm
Wheel Diameter	200 mm
Weight Without Counterweight	250 Kg
Weight of Counterweight Required for Maximum Capacities	675 Kg


3 LINCOLN WAY, SHERBURN-IN-ELMET, LEEDS, WEST YORKSHIRE LS25 6PJ
 Registered in England No. 3013233. V.A.T. Reg No. 599 2962 66
 www.liftingsafety.co.uk Email: sales@liftingsafety.co.uk





SELBY ENGINEERING & LIFTING SAFETY LTD.

Lifting Equipment and Height Safety Specialists
 www.liftingsafety.co.uk Email: sales@liftingsafety.co.uk
 Tel: (01977) 684600 Fax: (01977) 685300



Model No.	1000 Kg CTC-1000
Capacity Position 1	1000 Kg
Capacity Position 2	750 Kg
Capacity Position 3	500 Kg
Maximum Height Hook to Ground Position 1	2350 mm
Maximum Height Hook to Ground Position 2	2490 mm
Maximum Height Hook to Ground Position 3	2730 mm
Minimum Height Hook to Ground Position 1	800 mm
Minimum Height Hook to Ground Position 2	670 mm
Minimum Height Hook to Ground Position 3	420 mm
Column Height	1850 mm
Overall Base Length	1470 mm
Base Width	640 mm
Wheel Diameter	200 mm
Weight Without Counterweight	265 Kg
Weight of Counterweight Required for Maximum Capacities	900 Kg



3 LINCOLN WAY, SHERBURN-IN-ELMET, LEEDS, WEST YORKSHIRE LS25 6PJ
 Registered in England No. 3013233. V.A.T. Reg No. 599 2962 66
 www.liftingsafety.co.uk Email: sales@liftingsafety.co.uk





SELBY ENGINEERING & LIFTING SAFETY LTD.

Lifting Equipment and Height Safety Specialists
 www.liftingsafety.co.uk Email: sales@liftingsafety.co.uk
 Tel: (01977) 684600 Fax: (01977) 685300



3 LINCOLN WAY, SHERBURN-IN-ELMET, LEEDS, WEST YORKSHIRE LS25 6PJ
 Registered in England No. 3013233. V.A.T. Reg No. 599 2962 66
 www.liftingsafety.co.uk Email: sales@liftingsafety.co.uk

